

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	5	("5583747" "5801521" "6404317" "6593841" "6600404").PN	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB
2	BRS	L2	3	("4392013"   "5430424"   "5545916").PN. OR ("6600404").URPN.	US-PGPUB; USPAT; USOCR
3	BRS	L3	1464950	coil winding conductor	US-PGPUB; USPAT; USOCR
4	BRS	L4	825855	substrate	US-PGPUB; USPAT; USOCR
5	BRS	L5	1619	336/200.ccls.	US-PGPUB; USPAT; USOCR
6	BRS	L6	16914	stack\$3 adj layers	US-PGPUB; USPAT; USOCR
7	BRS	L7	669	6 with 3	US-PGPUB; USPAT; USOCR
8	BRS	L8	29823	"336"/\$.ccls.	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	147	8 and 6	US- PGPUB; USPAT; USOCR
10	BRS	L10	70163	(stack\$3 pil\$3) near3 layers	US- PGPUB; USPAT; USOCR
11	BRS	L11	101591 9	film	US- PGPUB; USPAT; USOCR
12	BRS	L12	9927	11 with 10	US- PGPUB; USPAT; USOCR
13	BRS	L13	31	12 and 5	US- PGPUB; USPAT; USOCR
14	BRS	L14	39	12 and 8	US- PGPUB; USPAT; USOCR
15	BRS	L15	9927	12 with layer\$2 with film	US- PGPUB; USPAT; USOCR
16	BRS	L16	39	15 and 8	US- PGPUB; USPAT; USOCR
17	BRS	L17	16843	3 with layer\$2 with film	US- PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
18	BRS	L18	425	17 and 8	US- PGPUB; USPAT; USOCR
19	BRS	L19	2	("5179365"   "6429763").PN. OR ("6847284").URPN.	US- PGPUB; USPAT; USOCR
20	BRS	L20	5	("5583474").PN. OR ("6140902").URPN.	US- PGPUB; USPAT; USOCR
21	BRS	L21	7873	width with 3 with thick\$4	US- PGPUB; USPAT; USOCR
22	BRS	L22	584	21 and 8	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
23	BRS	L23	11	21 same 10 and 8	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B